



**ENDURANCE
WATER DISCHARGE**
10 BAR - 150 PSI

APPLICATION :

- General purpose water discharge hose for in-plant water service in general industrial and agricultural applications. Also suitable for air service.
- Flexible and easy to handle.

TEMPERATURE RANGE :

- -30°C to +80°C
- -22°F to +176°F

BURST PRESSURE:

- 3:1

MATERIAL TUBE :

- Black SBR rubber compound

REINFORCEMENTS :

- Multiple high-tensile spiral-applied synthetic fabric

MATERIAL COVER :

- SBR rubber compound, black
- Abrasion & ozone resistant
- Wrapped finish impression

BRANDING:

- White longitudinal Mylar stripe : GOODALL ENDURANCE WATER DISCHARGE - 150 PSI - 10 BAR
- Embossed strip : GOODALL ENDURANCE WATER DISCHARGE - 10 bar (150 PSI) - quarter/year

STANDARD LENGTHS:

- 61 meter
- 200ft

ENDURANCE WATER DISCHARGE

ID		OD		maximum working pressure		minimum burst pressure		minimum bend radius		weight	
mm	inch	mm	inch	bar	psi	bar	psi	mm	inch	kg/m	lb./ft.
32	1 1/4"	42	1,65	10	150	30	450	320	12,6	0,84	0,56
38	1 1/2"	48	1,89	10	150	30	450	380	15,0	0,98	0,66
45	1 67/87"	55	2,17	10	150	30	450	450	17,7	1,14	0,77
51	2"	61	2,4	10	150	30	450	510	20,1	1,3	0,87
63	2 1/2"	75	2,95	10	150	30	450	630	24,8	1,92	1,29
76	3"	88	3,46	10	150	30	450	760	29,9	2,31	1,55
102	4"	114	4,49	10	150	30	450	1020	40,2	3,11	2,09
152	6"	166	6,54	10	150	30	450	1520	60,0	4,65	3,13
203	8"	219	8,62	10	150	21	300	2030	80,0	6,89	4,64
254	10"	271	10,67	10	150	21	300	2510	100,0	8,45	5,68

Size tolerances according ISO1307

All data at 68°F/20°C



All information contained on this datasheet is subject to change without prior notice. GOODALL MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Buyer/end-user is responsible for determining whether the Goodall product is fit for a particular purpose and suitable for buyer's/user's method of use or application. Failure to follow procedures for selection, installation, care, maintenance and storage of hoses may result in the hose's failure to perform properly and may result in damage to property and/or serious injury. Goodall or any of its affiliates or subsidiaries shall not be subject to and disclaims any obligations or liabilities (including but not limited to all consequential, incidental and contingent damages) arising from tort claims (including without limitation negligence and strict liability) or other theories of law.